

TOWN OF LEBANON

REQUEST FOR ACCESS TO PUBLIC RECORDS

I request to review the following records in the Town of Lebanon:

Copies of Inspection reports for Forestry 2 and Engine 1 that
resulted in those units being taken out of Service and the written "estimates" from
The Vendors as to the cost of repairs need to be able to buy those units in Service
and to pass State inspection,

Date: March 10 2011 Signed Blaine Wood

Contact Information:

Print Name: BLAINE WOOD

Address: 577 LITTLE RIVER ROAD

Phone #: 207-452-1242 Email: WOODBAS@METROCAST.NET

Request Approved Signature of Recipient of Public Records: Blaine Wood

Request Denied Date: 3-21-16

Reason for Denial: _____

3 X .25 = \$.75 due

Approved by: Jeanette Less

Date: 3/10/16

Hartford Equipment, Inc.
392 Lebanon Street
Sanford, ME 04073

207-324-0462 / fax: 207-324-0126

INVOICE # 5824 01/13/16

Mileage in 70866

LEBANON FIRE DEPT
15 UPPER GUINEA RD
Lebanon, ME 04027

1411 1411
1P1F10B6AA0088776
88 FMC PREM FAB
IMPERIAL T 942A

Customer Repair Instructions

INSPECTION FAILED DUE TO EXHAUST WORK, BAD TIE ROD END RIGHT SIDE, STRUCTURE
SUPPORT OF TANK

INSPECTION	INSPECTION MUNICIPAL	15.00	Group Total
	BRION		15.00
	INSPECTION MUNICIPAL VEHICLE *		
	FAILED NEEDS EXHAUST WORK, LEFT SIDE		
	TIE ROD BAD. NEEDS WORK ON TANK		
	SUPPORT BEHIBD DRIVER SIDE		
	REAR TIRES , METAL ON BOTH INNER		
	REAR FENDERS ARE RUSTED OFF		
	FLOPPING IN AROUND.		

BRAKES	ADJUST BRAKES	95.00	Group Total
	BRION		95.00
	FOUND ALL BRAKES WAY OUT OF		
	ADJUSTMENT DURING		
	INSPECTION. ADJUSTED BRAKES		

THANK YOU FOR CHOOSING US.
WE APPRECIATE YOUR BUSINESS.

Charged

Labor 110.00
SUBTOTAL 110.00
BALANCE 110.00

EASTERN FIRE

A P P A R A T U S

Eastern Fire Apparatus, LLC
 11 Industrial Way
 P.O. Box 769
 Milton, NH 03851

Estimate

Name/Address
Lebanon Fire Department 15 Upper Guinea Road Lebanon, Maine 04027

Note: This estimate is not a contract or a bill. It is our best guess at the total price to complete the work stated below, based upon our initial inspection, but may be subject to change. If prices change or additional parts and labor are required, we will inform you prior to proceeding with the work.

Date	Estimate No.
01/18/16	349

All estimates are valid for 30 days

Item	Description	Quantity	Cost	Total
	Lebanon Engine 1			
Estimate	Primer Pump Worn Out And Needs Replacement	1	1,250.00	1,250.00
Estimate	Replace Discharge #1 Drain Assembly	1	125.00	125.00
Estimate	Replace Bulbs In Rear Tank Water Level Gauge	1	35.00	35.00
Estimate	Remove Rotten Pump Discharge Manifold And Fabricate A New Custom Manifold. Reinstall And Check For Leaks.	1	1,850.00	1,850.00
Estimate	Fabricate And Install New Rear Fenderwells For Body	1	3,500.00	3,500.00
Pickup & Delivery	Free Pickup & Delivery Of Vehicle To And From Fire Station		0.00	0.00
Please feel free to call with questions or comments			Total	\$6,760.00

In all seriousness I wouldn't give you anything. You might find someone to give you \$5,000 for the engine and transmission if they are looking for a used drivetrain. There are so many things wrong with it and its age along with rust that is out of control, nobody else will want to dump money into it to get what is possible a few years out of it.



A P P A R A T U S

Jerry McKay Owner
Eastern Fire Apparatus, LLC
P.O. Box 769 Milton, NH 03851
tel (800) 817-2835 mobile (603) 817-2891 fax (800) 718-7950

[Website](#) | [vCard](#) | [Line Card](#) | [Email](#)    [YouTube](#)

Confidentiality Note: This email may contain confidential and/or private information. If you received this email in error please delete and notify sender.

On Jan 19, 2016, at 7:09 AM, Dan Meehan <Chiefmeehan@lebanonfirecems.org> wrote:

Any idea how much E1 would be worth if we sold it out right. One selectmen wants to know and see figures to see if refurbishing it is worth it.

Lebanon Treasurer

From: Lebanon Treasurer <treasurer@metrocast.net>
Sent: Friday, March 18, 2016 3:10 PM
To: Skip Wood (woodsab@metrocast.net)
Subject: FW: FOAA Request

Dear Mr. Wood,

The information you requested regarding your right to know request is ready for pick up. The total cost is \$0.75. These documents may be picked up at the front desk anytime during our normal business hours. Thank you.

Jeanette Lemay - Treasurer

Town of Lebanon, ME
15 Upper Guinea Road
Lebanon, ME 04027
(207) 457-6082 Ext. 109
(207) 457-6067 FAX

From: Lebanon Treasurer [<mailto:treasurer@metrocast.net>]
Sent: Friday, March 11, 2016 10:00 AM
To: Skip Wood (woodsab@metrocast.net)
Subject: FOAA Request

Dear Mr. Wood,

I am in receipt of your FOAA request and it has been approved. Our costs are as follows:

\$0.25 per page for 8/12 x 11
\$1.00 per page for 11 x 17
\$15.00 an hour – first hour is free

At this in point in time we do not anticipate the cost to exceed \$30.00. If we find that it will exceed \$30.00 you will be notified immediately upon that determination.

You will receive confirmation when those items are ready.

Jeanette Lemay - Treasurer

Town of Lebanon, ME
15 Upper Guinea Road
Lebanon, ME 04027
(207) 457-6082 Ext. 109
(207) 457-6067 FAX